

TEST REPORT

Job No./Report No TR2085536

Date:1 March 2022

Page 1 of 5

MAXIM CERAMICS Sp. z o.o.

Maksymilianowo 40 64-060 Wolkowo

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

Sample No.	Sample Description
A	ACTION WHITE, AIDA WHITE, AMERICANO DUO WHITE, AMERICANO EU WHITE, AMERICANO PURE WHITE, AMERICANO SMALL DUO WHITE, AMERICANO SMALL PURE WHITE, ANNA WHITE, ASTER WHITE, AURORA WHITE, BARREL WHITE, BARREL PURE WHITE, BARREL SUPREME BLACK/WHITE, BAVARIA WHITE, BERG WHITE, CACTUS WHITE, CAMP WHITE, CERES WHITE, COFFEE2GO CLASSIC WHITE, COFFEE2GO LOCK WHITE, COFFEE2GO TREND WHITE, COOL WHITE, DECOR WHITE, DIAMOND WHITE, DIAMOND MEDIUM WHITE, DIANA WHITE, DREAM WHITE, EASY WHITE, EDGE WHITE, ELEPHANT WHITE, ERGO WHITE, ERIS WHITE, FIORD WHITE, FREDDO WHITE, FREEDOM CLASSIC WHITE, FREEDOM EXCELLANCE CLASSIC WHITE, FRESH WHITE, GEO DUO WHITE, GRAND WHITE, HANDY EU WHITE, HANDY WHITE, HANDY PURE WHITE, HANDY SUPREME BLACK/WHITE, ILONA WHITE, ILONA PREMIUM WHITE, JASMINE WHITE, JOY WHITE, JUSTYNA WHITE, KICK WHITE, LATTE ART WHITE, LATTE MAGIC MATT WHITE, LONDON WHITE, LOFT PURE WHITE, LOFT SUPREME BLACK/WHITE, LUCAS WHITE, LUDWIG WHITE, MAGNETIC WHITE, MAMBO WHITE, MANHATTAN WHITE, MARCO WHITE, MINI SPECTA WHITE, MODERN WHITE, MUESLI BOWL WHITE, MUESLI BOWL DUO WHITE, MUESLI SMALL WHITE, NOBLE WHITE, NOEL WHITE, MOZART WHITE, , OLE WHITE, OLIVIA WHITE, OPTY WHITE, PARISIAN WHITE, PARO WHITE, PIZZA KING WHITE, PLAY WHITE, PLAY&GO WHITE, PRIM WHITE, PRINCESS WHITE, QUADRO WHITE, REAL WHITE, ROMANTIC WHITE, ROXY WHITE, SKY WHITE, SNOW QUEEN, SONATA WHITE, SPACE WHITE, SPARK PURPLE/WHITE, SPEEDY WHITE, STAR WHITE, STUTTGART WHITE, SWAN WHITE, TANGO WHITE, TOMEK ART. WHITE, TOMEK BIG ART WHITE, TOMEK BIG WHITE, TOMEK CLASSIC CREAM, TOMEK CLASSIC WHITE, TOMEK PREMIUM WHITE, TOMEK MAGIC PINK/WHITE, TOMEK SMALL WHITE, TOMEK SUPREME BLACK/WHITE, TOMMY ART WHITE, TOMMY CLASSIC WHITE, TORINO WHITE, TREND WHITE, VENUS WHITE, VENEZIA WHITE, VICTOR WHITE, VISION PLUS WHITE, VISION WHITE, VIVA WHITE, WIND WHITE

Client's reference No. : TR 2085536
 Sample Receiving Date : 22 February 2022
 Test Performing Period : 22 February 2022~01 March 2022

Overall Conclusion : **PASS**

Test Results : Please refer to the next page(s).

Performed Test Summary: Selected test(s) as requested by client against Client's performance standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table. Unless otherwise requested SGS applies shared risk decision rule. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days." In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory.

TEST REPORT

Job No./Report No TR2085536

Date:1 March 2022

Page 2 of 5

Test Parameters	Result
Chemical tests	A1
FCM - Leachable Lead and Cadmium	M

Remarks	M = Meets client's requirement
	F = Does not meet client's requirement
	I = Inconclusive
	* = No specified requirement
Notes:	Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s).
	Residual sample can be returned to client if requested.

The test results relate to the tested items only.
Test reports without SGS seal and authorised signatures are invalid.

Issued in Istanbul
Signed for and on behalf of
SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

Mert Kurtuluş
Hardline, C&H Customer Services
Supervisor

Bora Şirinbilek
Hardline and C&H Testing Services Manager




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

Unless otherwise requested SGS applies shared risk decision rule.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory.

TEST REPORT

Job No./Report No TR208536

Date:1 March 2022

Page 3 of 5

Component List / List of Materials for Chemical Test

Sample No.	Sample Description	Material No.	Component	Material	Colour
A	ACTION WHITE, AIDA WHITE, AMERICANO DUO WHITE, AMERICANO EU WHITE, AMERICANO PURE WHITE, AMERICANO SMALL DUO WHITE, AMERICANO SMALL PURE WHITE, ANNA WHITE, ASTER WHITE, AURORA WHITE, BARREL WHITE, BARREL PURE WHITE, BARREL SUPREME BLACK/WHITE, BAVARIA WHITE, BERG WHITE, CACTUS WHITE, CAMP WHITE, CERES WHITE, COFFEE2GO CLASSIC WHITE, COFFEE2GO LOCK WHITE, COFFEE2GO TREND WHITE, COOL WHITE, DECOR WHITE, DIAMOND WHITE, DIAMOND MEDIUM WHITE, DIANA WHITE, DREAM WHITE, EASY WHITE, EDGE WHITE, ELEPHANT WHITE, ERGO WHITE, ERIS WHITE, FIORD WHITE, FREDDO WHITE, FREEDOM CLASSIC WHITE, FREEDOM EXCELLANCE CLASSIC WHITE, FRESH WHITE, GEO DUO WHITE, GRAND WHITE, HANDY EU WHITE, HANDY WHITE, HANDY PURE WHITE, HANDY SUPREME BLACK/WHITE, ILONA WHITE, ILONA PREMIUM WHITE, JASMINE WHITE, JOY WHITE, JUSTYNA WHITE, KICK WHITE, LATTE ART WHITE, LATTE MAGIC MATT WHITE, LONDON WHITE, LOFT PURE WHITE, LOFT SUPREME BLACK/WHITE, LUCAS WHITE, LUDWIG WHITE, MAGNETIC WHITE, MAMBO WHITE, MANHATTAN WHITE, MARCO WHITE, MINI SPECTA WHITE, MODERN WHITE, MUESLI BOWL WHITE, MUESLI BOWL DUO WHITE, MUESLI SMALL WHITE, NOBLE WHITE, NOEL WHITE, MOZART WHITE, , OLE WHITE, OLIVIA WHITE, OPTY WHITE, PARISIAN WHITE, PARO WHITE, PIZZA KING WHITE, PLAY WHITE, PLAY&GO WHITE, PRIM WHITE, PRINCESS WHITE, QUADRO WHITE, REAL WHITE, ROMANTIC WHITE, ROXY WHITE, SKY WHITE, SNOW QUEEN, SONATA WHITE, SPACE WHITE, SPARK PURPLE/WHITE, SPEEDY WHITE, STAR WHITE, STUTTGART WHITE, SWAN WHITE, TANGO WHITE, TOMEK ART. WHITE, TOMEK BIG ART WHITE, TOMEK BIG WHITE, TOMEK CLASSIC CREAM, TOMEK CLASSIC WHITE, TOMEK PREMIUM WHITE, TOMEK MAGIC PINK/WHITE, TOMEK SMALL WHITE, TOMEK SUPREME BLACK/WHITE, TOMMY ART WHITE, TOMMY CLASSIC WHITE, TORINO WHITE, TREND WHITE, VENUS WHITE, VENEZIA WHITE, VICTOR WHITE, VISION PLUS WHITE, VISION WHITE, VIVA WHITE, WIND WHITE	A1	Inner main	Ceramic	White

Doc. No.: CTSL-F.-5.10-98NF / First Publish Date: 28.08.2014 / Revision Date / No.:04.03.2021 / 8

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

Unless otherwise requested SGS applies shared risk decision rule.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory.

TEST REPORT

Job No./Report No TR2085536

Date:1 March 2022

Page 4 of 5

Leachable Lead and Cadmium¹

Test Method : With reference to European Directive 84/500/EEC and its amendment 2005/31/EC – Analysis by ICP-OES

Product Category : Category 2

Simulant Volume : 0,250 L of 4% (v/v) Aqueous Solution of Acetic Acid

Surface Area : 1,99 dm²

Height : 80,0 mm

Diameter : 37,0 mm

A1

<u>Test Items</u>	<u>Result(s) (mg/L)</u>					<u>Reporting Limit (mg/L)</u>	<u>Permissible Limit (mg/L)</u>
	<u>Trial 1</u>	<u>Trial 2</u>	<u>Trial 3</u>	<u>Trial 4</u>	<u>Average</u>		
Released Lead	n.d.	n.d.	n.d.	n.d.	n.d.	Category 2: 0,10	Category 2: 4,00
Released Cadmium	n.d.	n.d.	n.d.	n.d.	n.d.	Category 2: 0,01	Category 2: 0,30

Conclusion : **Pass**

Note(s) : n.d. = not detected

mg/dm² = milligram per square decimeter of foodstuff in contact with

- Remark(s) :**
1. Permissible limit is according to European Directive 84/500/EEC and its amendment 2005/31/EC for Category 1,
 2. Category 1 – Articles which cannot be filled and articles which can be filled, the internal depth of which does not exceed 25 mm,
 3. Category 2 – Articles, not in categories 1 or 3, which can be filled,
 4. Category 3 – Cooking ware; packaging and storage vessels having a capacity of more than three liters
 5. According to 84/500/EEC, if the result of the first tested article does not exceed the limit by more than 150%, three more identical articles can be tested. The final result is passed if the average result does not exceed the limit with none of the articles exceeding the limit by more than 50%.

TEST REPORT

Job No./Report No TR2085536

Date:1 March 2022

Page 5 of 5



* * *

End of Test Report

* * *

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

Unless otherwise requested SGS applies shared risk decision rule.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the IAS Accreditation Scope of this Laboratory.